

IN THE CLAIMS:

1. (Currently Amended) A furniture glide removably mountable on the terminal end of a furniture leg having an outer surface, comprising:

a base having a generally arcuate lower surface for engaging a supporting surface;
a sleeve extending from the base along an axis and having an inner surface defining a cavity for receiving the furniture leg, and terminating at an upper edge; [and]

an adjustable portion of the sleeve, the adjustable portion including a plurality of flexible depressions extending into the cavity, the depressions defining corresponding inner surfaces for engagement with the furniture leg; and

a plurality of flexible, resilient projections extending radially inward from the upper edge of the sleeve so as to define an upper limit of the cavity defined by the sleeve, each resilient projection having an upper surface and a lower surface;
wherein the plurality of resilient projections are movable between a first position wherein the upper surfaces of the resilient projections lie in a generally common plane and a second position wherein:

the upper surfaces of the resilient projections are engageable with the outer surface of the furniture leg with the furniture leg received in the cavity of the sleeve;

the resilient projections retain the furniture leg received in the cavity; and

the resilient projections space the furniture leg received in the cavity from the inner surface of the sleeve so as to allow the furniture leg to be supported within the cavity at an acute angle to the axis.

Claims 2-4 (Cancelled).

5. (Original) The furniture glide of claim 1 wherein the base includes:
backing layer having an inner surface directed towards the cavity of the sleeve and an
outer surface; and
a felt pad affixed to the outer surface of the backing layer.

Claim 6 (Cancelled)

7. (Original) The furniture glide of claim [6] 1 where base includes an outer
periphery, the outer periphery of the base being affixed to the inner surface of the sleeve at a
location adjacent the lower edge.

Claims 8-11 (Cancelled).

12. (Currently Amended) A furniture glide removably mountable on a terminal end
of a furniture leg having an outer surface, comprising:
a base having a generally arcuate lower surface engageable with a supporting surface and
an arcuate inner surface engageable with the terminal end of the furniture leg; and
a sleeve extending along an axis from the base and having an upper edge and an inner
surface defining a cavity for receiving the furniture leg, the sleeve including a leg engagement
element having a plurality of flexible projections, each projection:
having an upper surface and a lower surface; and
projecting from the upper edge of the sleeve;
an adjustable portion of the sleeve, the adjustable portion including a plurality of flexible
depressions extending into the cavity, the depressions defining corresponding inner surfaces for
engagement with the furniture leg; and
wherein the projections are movable between a first position wherein the upper surfaces of the
projections are generally co-planar with the upper edge of the sleeve and a second position

wherein the upper surfaces of the projections are engageable with the outer surface of the furniture leg with the furniture leg received in the cavity and space the furniture leg received in the cavity from the inner surface of the sleeve so as to allow the furniture leg to be supported within the cavity of the sleeve at an acute angle to the axis.

Claim 13 (Cancelled).

14. (Previously Amended) The furniture glide of claim 12 wherein the sleeve terminates at an upper edge and wherein the projections intersect the upper edge of the sleeve.

Claim 15 (Cancelled).

16. (Original) The furniture glide of claim 12 wherein the base includes:
backing layer having an inner surface directed towards the cavity of the sleeve and an outer surface; and
a felt pad affixed to the outer surface of the backing layer.

17. (Original) The furniture glide of claim 12 wherein the sleeve is generally tubular and includes an upper edge and a lower edge and wherein the base includes an outer periphery, the outer periphery of the base being affixed to the inner surface of the sleeve at a location adjacent the lower edge.

Claim 18 (Cancelled).

19. (Previously Presented) A furniture glide removably mountable on a terminal end of a furniture leg having an outer surface, comprising:

a slider having a lower surface for engaging a supporting surface and an inner surface for engagement with the terminal end of the furniture leg; and

a leg connection member interconnected to the slider for retaining the furniture glide on the furniture leg, the leg connection member including:

a generally tubular sleeve extending along an axis and terminating at an upper edge, the tubular sleeve having an inner surface defining a cavity; [and]

an adjustable portion of the sleeve, the adjustable portion including a plurality of flexible depressions extending into the cavity, the depressions defining corresponding inner surfaces for engagement with the furniture leg; and

a plurality of flexible projections projecting from the upper edge of the sleeve, the projections having upper and lower surfaces and being movable between a first position wherein the projections lie in a generally common plane with the upper edge of the sleeve and wherein the projections at least partially close an upper end of the cavity and a second position wherein the upper surfaces of the projections are engageable with the furniture leg received in the cavity such that the projections are urged into the cavity by the furniture legs and such that the furniture leg is spaced by the projections from the inner surface of the sleeve so as to allow the furniture leg to be supported within the cavity of the sleeve at an acute angle to the axis.

Claims 20-21. (Cancelled).

22. (Original) The furniture glide of claim 19 wherein the slider includes:

a backing layer having an inner surface for engagement with the furniture leg and an outer surface; and

a pad affixed to the outer surface of the backing layer.

Claim 23-24 (Cancelled).